

## STATE OF WASHINGTON

WA 2917 6 A 12/15/04

## DEPARTMENT OF ECOLOGY

Northwest Regional Office • 3190 160th Avenue SE • Bellevue, Washington 98008-5452 • (425) 649-7000 CEIVED

DEC 27 2004

"SWAT Unit"
"OWCM"

December 15, 2004

Ms. Susan Roth Roth Consulting 6236 27<sup>th</sup> Avenue NE Seattle, WA 98115-7114 CERTIFIED MAIL 7003 1010 0005 0446 6869

Dear Ms. Roth:

Re: Potential Conditional Point-of-Compliance Monitoring Well Installation and

Sampling: Terminal 91 Tank Farm Site Agreed Order No. DE 98HW-N108

This correspondence serves as official <u>approval</u> by the Washington State Department of Ecology (Ecology), for the request to install and sample "Potential Conditional Point-of-Compliance" monitoring wells on Piers 90 and 91 at the Port of Seattle's (POS) Terminal 91 facility. The formal request (with attachments) was received by Ecology on December 15, however Ecology and representatives of the "PLP group" have discussed and agreed to the installations and sampling during the meetings of December 2<sup>nd</sup> and 13<sup>th</sup>. It is our understanding that the 3 monitoring wells will be installed and sampled before the end of December. Your correspondence also specifies a modification to the Standard Operating Procedure 124 section 7.2.1, to account for salt water intrusion into the monitoring wells. Ecology is hereby approving of this modification for these three monitoring well at this time. If you experience any major problems during the field work that could affect the schedule, please contact either Greg Caron (509) 454-7893 or myself as soon as possible.

If you have any questions or comments, please contact me at the Department of Ecology Northwest Regional Office by phone at (425) 649-7280 or by email at <a href="mailto:gtri461@ecy.wa.gov">gtri461@ecy.wa.gov</a>.

ecult Tobac

Sincerely,

Galen H. Tritt

Hazardous Waste and Toxics Reduction Program

GHT:sd

cc:

Julie Sellick, Ecology-NWRO
Ed Jones, Ecology-NWRO
Greg Caron, Ecology-CRO
Jan Palumbo, EPA Region 10
Port of Seattle, T-91 HZW File 6.2

RCRA Info

